



#### K. Kokkolis, Greece MD Psychiatrist, MSc Addictologist


# Medical treatment of Emergencies related to the use of Psychoactive Substances

Tratamento médico de emergências relacionado ao uso desubstâncias psicoativas

Tratamiento médico de emergencias relacionado con el uso desustancias psicoactivas



Fortaleza, Brasil 24-26 de abril 2023







Socios colaboradores:



















## Determining the need for an Addiction Emergencies Manual



- Illicit drug users and hazardous alcohol drinkers face barriers regarding access to the Health System, in Greece and globally.
- Most physicians and healthcare professionals receive inadequate undergraduate and postgraduate education and training regarding addictions and related phenomena.
- Therefore they should familiarize with the treatment of Overdoses and Withdrawal syndromes during ED visits and hospitalization, at least.

#### **Possible Barriers**

Stigma - Social Marginalization

Financial Burden – Lack of Insurance

**Logistic and Transport Difficulties** 

**Lack of Social Support** 

**Cultural and Linguistic** 

**Unclear Policies (excluding HIV+)** 

Matsuzaki et al., 2018; Muncan et al., 2020

## Manual for the Medical Treatment of Emergencies related to the use of Psychoactive Substances

#### Authors

Kakia Nikolaou, Psychiatrist, MSc, PhD

Kostas Kokkolis, Psychiatrist, MSc

Chrysa Botsi, Pulmonologist, MSc

under the auspices of the National Coordinator

Christos Kouimtsidis, Psychiatrist, MSc, PhD







### **Table of Contents**

#### Introduction

- 1. Contact with the patient
- 2. General principles
- 3. Withdrawal syndromes
- 4. Toxicoses and Overdoses
- 5. Other serious medical conditions in PWUDs

Appendices
Flow Charts

Flow Charts & Tables





**98pp** 


#### **Areas of Interest**

- Opioids
  Benzodiazepines
  Alcohol
  GHB GBL
  Cocaine
  Amphetamines
  Cathinones
  Hallucinogenics
  Anticholinergics
- PregnancySurgeryAcute & chronic Pain
- Double diagnosesDrug induced PsychosesPsychiatric conditions



- Clinical Opiate Withdrawal Scale: COWS
- Revised Clinical Institute Withdrawal Assessment Alcohol: CIWA-Ar
- Clinical Institute Withdrawal Assessment Benzodiazepine: CIWA-B
- Alcohol Use Disorders Identification Test: AUDIT
- Hellenic Treatment Outcomes Profile: HTOP
- Addicted Persons Charter Of Rights, Greek Ministry of Justice, 2014

OKANA		Про				ıς – HTOP	
mávopo:							
lucoounvia HTOP: /						KTHE/TPIA:	
	τς Aξιολόγηση Θεραπι			ekónum.			ollow-up [7]
NOTHTAL: XPHIH OY		ortion (Constitution	m(E) one		o apparation of L	, Garage L	on the Late
Καταγράψτε τον αριθμό	των ημερών που έγινε χ				τοίες τέσσερ	ις εβδομάδες	
	M.H.T. OA. XO	. Εβδομάδ	α 4 έβδομ	á6a3	Εβδομάδα 2	έβδομάδα 1	EYNOAO
α. Αλκοόλ	Thread Florid	8 □ •	7	0.7	0.7	0.7	0-28
β. Κάνναβη - κανναβινοειδή			7 🗀	6.7	0.7	0.7	0-28
γ. Αμφεταμίνες- αμφετ/ειδή	1 N		7	0-7	0.7	0-7	0-2E
8. Bev(obiatenivec	1 1		7	0.7	0.7	0.7	0.28
с. Нрыім	1 s		7	0-7	0-7	0.7	0-28
στ. Άλλα οπιοειδή	1."		7	0.7	0-7	0.7	0-28
ζ. Κοκαΐνη	1 1 1		.7	0.7	0-7	0.7	0.28
η. Άλλη ουσία	1.		7	0.7	0.7	0-7	0-28
11)	E M		7	0-7	0-7	0.7	0.28
θ. Προϊόντα καπνού			.7	0.7	0-7	0.7	0-28
Καταγράψτε τον αριθμό	των ημερών που έγινε ι	νέσιμη χρής	η για κάθο	μία από	τις τελευτοίε	ς τέσσερις εβδι	ομάδες.
(εάν δεν έγινε, σημειώσι	τε Ο και συνεχίστε στην Ει						
ι. Ενέσιμη χρήση		0-7		0-7	0.7	0-1	
κ. Ενέσιμη χρήση με σύ ΙΝΟΤΗΤΑ 2: ΥΓΕΙΑ ΚΑΙ	νεργα που χρησιμοποίη	τε άλλο άτοι	10)		NAI	□ 0	EYNOAD
Entornaire suiner en	γασίας και ημέρες σε εκπ	niferran em	mwekaaru	ró serridor	on effekoon	auć ofilanau	
υπό τις πελευταίες πέσο			.,,,	.,		-,,,,	-,
α. Ημέρες αμειβόμενη			0.7	0.7	0.7	0.	
β. Ημέρες εκπαίδευσι		_	0.7	0-7	0-7	0-	
γ. Ημέρες εθελοντισμο		, J.,	0.7	0-7	0-7	0.	0.28
δ. Έχετε υπάρξει άστε	θα στοιχεία για τις <u>τελευ</u>	une stoorp	и, краюции	1000		NAI	П охі П
ο. Εχετε υπαρζει αστε ε. Έχετε κινδυνεύσει ν							
					10 majors		
	ε στιγμή τις τελευταίες τ		μάδες ανε	ιλάβει τη	6 esús	is NAI	□ oxi □
φροντιδα ή έχετε ζήσε	ει μαζί με κάποιο/α παιδ	/παιδιά			10) 5-33		OXI 🗆
ζ. Έχετε συλληφθεί;							□ oxi □
	αιη συμπεριφορά (και εν						OXI 🗆
θ. Έχει επδηλώσει κάπ	τοιος/α βίαιη συμπεριφο	ρά (και ενδο	OLKOJEVEGO	κή δία) εν	αντίον σας:	NAI	OXI 🗆
	τάσταση της ψυχικής σας σ 1 2 1	υγείας (άγχ	ος, κατάθλο	φη & δυσι	popusá ovven 9 10		
			. 7				ιλή
Κακή	τάσταση της σωματικής « 0 1 2 3	4 5	KTBOQ OWN		9 10	uu avdykņan ar EKa	
	υκά την ποιότητα ζωής σ						
	O I S 3		6 7		9 10	⊕ Kc	







## Flow Charts

1: General principles, dealing with a PWUD

2: General principles, dealing with Withdrawal Syndrome

3: Treatment of withdrawal syndrome, Special Cases

3a: Treatment of withdrawal syndrome during Pregnancy

3bi: Treatment of withdrawal syndrome during Labor


3bii: Treatment of withdrawal syndrome during labor: opioids

3c: Treatment of withdrawal syndrome during Childbirth

3d: Treatment of withdrawal syndrome during Breastfeeding

4a: General Principles for Treating Poisoning/Overdose

4b: Specific Treatment of Poisoning/Overdose by Substance



Λεχωίδες χρήστριες ψυχοδραστικών ουσιών

ΔΙΑΓΡΑΜΜΑ 3Υ

Αντιμετώπιση συνδρόμου στέρησης κατά τη λοχεία





1a: Signs and symptoms of Opioid Withdrawal Syndrome

1b: Signs and symptoms of Withdrawal Syndrome from Benz/pines or Alcohol

2a: Signs and Symptoms of Opioid Overdose

2b: Signs and symptoms of Benzodiazepine Overdose

2c: Signs and symptoms of Alcohol Overdose

2d: Signs and symptoms of Cocaine/Stimulant Overdose

#### ΠΙΝΑΚΑΣ 2γ Σημεία και συμπτώματα υπερδοσολογίας από αλκοόλ

Επίπεδα αιθανόλης στο αίμα mg/dl	Κλινική εικόνα		
25-50	Ήπια ευφορία και διέγερση, διαχυτικότητα, κοινωνικότητα, χαλάρωση, αυξημένη αυτοπεποίθηση, μικρή επίδραση στη λειτουργικότητα		
50-80	Επιπλέον: άρση αναστολών, περιορισμός κριτικής σκέψης, διαταραχή κίνησης		
80-150	<b>Επιπλέον:</b> διαταραχές συντονισμού κινήσεων και ισορροπίας (ασυνέργεια κινήσεων, αστάθεια), επιβράδυνση αντανακλαστικών/ αύξηση του χρόνου αντίδρασης, δυσχέρεις ομιλίας, διαταραχές όρασης, συναισθηματική αστάθεια, ναυτία, έμετος		
150-300	Eπιπλέον: παρεγκεφαλιδική δυσλειτουργία (αταξία, νυσταγμός), αδυναμία βάδισης, αμνησία, απάθεια, υπνηλία, δυσχέρεια αναπνοής, απώλεια ούρων		
>300	Επιπλέον: αναπνευστική καταστολή, κατάργηση αντανακλαστικών, κώμα, θάνατος		



### **Implementation**

eBook & Hardcopies

- 1. Presented & distributed in:
  - 2 Conferences, Athens & Salonica
  - 2 pending, Rhodes & Athens
- 2. Posted on 2 addiction related sites
- 3. Disseminated to all Addiction Organizations
- 4. Disseminated to all Prevention Centres
- 5. Disseminated to Postgraduate Studies Programmes



#### Intention to:

Raise awareness, distribute to and, possibly, train all National Health System and Public Health workers

#### Reached since 11/22

- Universities
  - U. of Athens U. of Thessaloniki U. of Crete
- Drug Organizations
   O.KA.NA
   KE.TH.E.A.
   18 ANO, Psyc. H. of Athens Ianos, Psyc. H. of Salonica
- Detention Centres
  Reception/ID Centres
- Hellenic Psychiatric Assoc.
- Residents & Specialists





#### K. Kokkolis, Greece MD Psychiatrist, MSc Addictologist

Thank you for your attention!

Obrigado pela sua atenção!

¡Gracias por su atención!



Fortaleza, Brasil 24-26 de abril 2023







Socios colaboradores:















